## Safety instructions

Important! Before commencing installation work disconnect the main cable from the power supply - remove fuse or turn switch to "OFF"!

- Installation should be carried out in accordance with the local safety regulations.
- Please ensure that all electrical connections (even preassembled lamps) are screwed tightly or are fully inserted as good contact is essential for a long life-span at high currents. Please check for tight connections after changing or adjusting lamps. Screwed connections must be tightened after 20 minutes.
- 3. Please do not place objects on your system (e.g. for decorative purposes) if they were not delivered with the system.
- 4. The lamps get very hot when in use. Please allow lamps to cool down before touching.
- 5. Do not change lamps or spots when switched on.
- 6. System should not be enlarged with additional lamps.
- 7. To avoid greasy fingerprints it is recommended to wear white cotton gloves when handling visible metal and glass parts.
- 8. If the external flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.
- The glass used for this lamp is hand-blown. Only 1st quality has been chosen. Air bubbles and variations in thickness and colour is normal.
- 10. We reserve the right to make technical alterations.

Please keep these instructions.

Fitting: Replaceable LED-module (D60-2835-3C6B-12V-6W)


2023-09-20 EU


## NUURA www.nuura.com info@nuura.com




## Blossi Table

## **Assembly Instructions**







Unscrew the finger screw on top and remove the cover plate.




Connect the power plug to an outlet and enjoy the lamp.




Place the glass over the top.



LED-module replaceable by end-user. Instructions at www.nuura.com



Driver must be replaced by professional.



Place the cover plate back on top and tighten the finger screw.